

Ten More Feet Is More Like An Extra Mile.

Go the distance with Wheatland's 20ft. EMT & Rigid.



MADE IN USA



Wheatland Tube Company



Listed

900 Haddon Avenue / Collingswood, NJ 08108-2162 / 800.257.8182 / www.wheatland.com

20 Foot Electrical Metal Conduit (EMT)

Applicable Specifications:

Underwriters Laboratories Inc. UL Standard for Safety for Electrical Metallic Tubing Steel, UL 797 American National Standards Institute, Inc. C-563

The Department of Defense and other federal agencies have adopted UL 797 in place of WW-C563

Management Systems Registered to:
ISO 9001:2000
Certified Numbers:
Wheatland, PA 007172
Chicago, IL 00895
Little Rock, AR 009081



Weights and Dimensions

Trade Size	Metric Designator	Weight 5 Unit Lengths		Outside Diameter (1)		Inside Diameter (2)		Wall Thickness (2)	
		Pieces	Feet	Pieces	Feet	Pieces	Feet	Pieces	Feet
1/2	16	30	158.76	2.735	60.33	2.083	52.91	.146	3.71
3/4	21	46	253.56	2.875	73.03	2.489	63.22	.193	4.90
1	27	67	329.77	3.500	88.90	3.090	78.49	.205	5.21
1 1/4	35	101	399.17	4.000	101.60	3.570	90.68	.215	5.46
1 1/2	41	116	467.21	4.500	114.30	4.050	102.87	.225	5.72
2	53	148	635.04	5.563	141.30	5.073	128.85	.245	6.22
2 1/2	63	216	834.62	6.625	168.28	6.093	154.76	.266	6.76
3	78	216	834.62	6.625	168.28	6.093	154.76	.266	6.76
3 1/2	91	216	834.62	6.625	168.28	6.093	154.76	.266	6.76
4	103	216	834.62	6.625	168.28	6.093	154.76	.266	6.76

Packaging

Trade Size	Metric Designator	Quantity Per Lift			Weight Per Lift		Volume Per Lift	
		Pieces	Feet	Meters	Pounds	Kilograms	Cu. Ft.	Cu. m
1/2	16	175	3500	1066.8	1050	476.3	12.1	0.34
3/4	21	125	2500	762.0	1150	521.6	14.8	0.42
1	27	75	1500	457.2	1005	455.9	14.1	0.40
1 1/4	35	50	1000	304.8	1010	458.1	15.8	0.45
1 1/2	41	37	740	225.6	858	389.4	15.6	0.44
2	53	37	740	225.6	1095	496.8	24.8	0.70
2 1/2	63	19	380	115.8	821	372.3	21.8	0.62
3	78	19	380	115.8	999	453.3	32.3	0.92
3 1/2	91	19	380	115.8	1326	601.6	42.2	1.20
4	103	103	200	61.0	786	356.5	28.1	0.80



20 Foot Steel Rigid Metal Conduit (Rigid)

HOT DIP GALVANIZED

Applicable Specifications:

Underwriters Laboratories Inc. UL Standard for Safety for Rigid Metal Conduit (RMC) Steel, UL 6 American National Standards Institute, Inc. C-563

The Department of Defense and other federal agencies have adopted UL 797 in place of WW-C563

Management Systems Registered to:

ISO 9001:2000

Certified Numbers:

Wheatland, PA 007172

Chicago, IL 00895

Little Rock, AR 009081



MADE IN USA



Listed

NOTE: Consult factory for minimum order quantity of trade sizes other than 2, 3 and 4 Rigid.

Weights and Dimensions

Trade Size	Metric Designator	Weight 5 Unit Lengths		Outside Diameter		Inside Diameter		Wall Thickness	
		Pounds	Kilograms	in.	mm	in.	mm	in.	mm
2	53	350	158.76	2.735	60.33	2.083	52.91	.146	3.71
2 1/2	63	559	253.56	2.875	73.03	2.489	63.22	.193	4.90
3	78	727	329.77	3.500	88.90	3.090	78.49	.205	5.21
3 1/2	91	880	399.17	4.000	101.60	3.570	90.68	.215	5.46
4	103	1030	467.21	4.500	114.30	4.050	102.87	.225	5.72
5	129	1400	635.04	5.563	141.30	5.073	128.85	.245	6.22
6	155	1840	834.62	6.625	168.28	6.093	154.76	.266	6.76

Packaging

Trade Size	Metric Designator	Thread Protector Color	Quantity Per Lift			Weight Per Lift		Volume Per Lift	
			Pieces	Feet	Meters	Pounds	Kilograms	Cu. Ft.	Cu. m
2	53	Blue	30	600	183	2100	952.6	36.1	1.0
2 1/2	63	Black	18	360	110	2012	912.6	35.0	1.0
3	78	Blue	15	300	91	2182	989.3	41.5	1.2
3 1/2	91	Black	12	240	73	2112	958.0	43.3	1.2
4	103	Blue	10	200	61	2060	934.4	48.6	1.4
5	129	Blue	7	140	43	1960	889.1	52.1	1.5
6	155	Blue	5	100	30	1840	834.6	43.8	1.2

NOTE: The length is normal and subject to the tolerance of UL Standard for Safety for Electrical Rigid Metal Conduit — Steel, UL 6



Wheatland Tube Company

900 Haddon Avenue / Collingswood, NJ 08108-2162 / 800.257.8182 / www.wheatland.com

20 Foot EMT & Rigid General Information

Wheatland is now offering 20 foot* lengths of Electrical Metallic Tubing (EMT) in Trade Sizes 1/2 through 4, and Rigid Metal Conduit (RMC) in Trade Sizes 2 through 6, to reduce the number of joints and associated labor in assembling steel raceways. The 20 foot length product conforms to the same manufacturing standards and listing as the 10 foot lengths. All the properties of Wheatland's 10 foot Electrical Metallic Tubing (EMT) and Rigid Metal Conduit (RMC) with the added benefit of being double the length. The pieces per lift have been adjusted to provide for secure packaging and ease in handling. Consult the packaging table in this brochure of the specific product and size for the actual quantity per lift.

Management Systems Registered to:
ISO 9001:2000
Certified Numbers:
Wheatland, PA 007172
Chicago, IL 00895
Little Rock, AR 009081



**20 Foot* lengths of all
TRADE SIZES of EMT are now IN STOCK**

**20 Foot* Galvanized Rigid Steel Conduit
TRADE SIZES – 2, 3 & 4 IN STOCK**

* The length is nominal and subject to the tolerance of UL Standard for Safety for Electrical Metallic Tubing — Steel, UL 797 or Standard for Safety for Electrical Rigid Metal Conduit — Steel, UL 6

Contacts:


Local

Contact your local sales representative for information. Our agent locator can be found on our website at www.wheatland.com/agtloce.htm

Manufacturer

Electrical Division Sales Department
Phone: 800-257-8182 Fax: 856-854-4973
E-mail: info@wheatland.com

Represented by:



**Shine some light on just
how far you can go.**

And how much you'll save. Go to www.wheatland.com/showmethesavings and use our calculator to test different variables of 10 vs. 20ft installations. Predict with reasonable accuracy the total \$\$\$ savings in labor and materials.*



Wheatland Tube Company

900 Haddon Avenue / Collingswood, NJ 08108-2162
800.257.8182 / www.wheatland.com

*Or email showmethesavings@wheatland.com and we'll send you the calculator on a CD.